

Wire rope, Wire rope riggings, fittings, accessorings, parts and tools

Hot Selling

Hot selling 1.



Hook

Hot selling Stainless Steel Hook  
Taiwan made quality hook  
3.7x4"  
Various sizes are available

Hot selling 2.



7807 0040

Post Sleeves Railing  
10mm OD  
With a hole inside all way through  
Material S316 Stainless Steel

Hot selling 3.



8011 Eye (3mm Eye)

Material: S.S. 316  
Spec.: Ø 3, 4, 5, 6, 8

Details:


Wire rope rigging fitting

This stainless steel terminal is suitable for a wide variety of applications, including balustrades, signs, shade sails and trellises.

The terminal is easy to install with common hand tools and is easily adjustable to suit seasonal changes. This stainless steel terminal features three-section alloy steel serrated jaws for a secure hold on wire rope.

- \* Stainless steel terminal for a wide variety of applications
- \* Three-section alloy steel serrated jaws to hold wire securely
- \* No swaging required
- \* Easy to install with common hand tools
- \* Adjustable to suit seasonal changes
- \* Ideal for balustrades, signs, shade sails, and trellises
- \* Taiwan manufacturing, quality wire rope hardware

1. Available for wire Ø 3, 4, 5, 6, 8mm.
2. Jaws locking system:
  - 1) OLD type: for wire Ø 3, 4, 5, 6, 8mm.
  - 2) NEW type: for wire Ø 3, 4mm.



A	B	C	D	KW1	KW2	KW3	BL
3 mm	5.7 mm	6.3 mm	57 mm	12 mm	12 mm	10 mm	500 kgs
4 mm	6.7 mm	8.3 mm	66 mm	14 mm	14 mm	12 mm	1000 kgs
5 mm	7.7 mm	10.3 mm	79 mm	17 mm	17 mm	14 mm	1500 kgs
6 mm	8.7 mm	12.3 mm	92 mm	19 mm	19 mm	17 mm	2000 kgs
8 mm	9.5 mm	14 mm	115 mm	24 mm	22 mm	19 mm	4000 kgs

Hot selling 4-1



8012 (Balu006-2)


Fork- Machine  
Material: Stainless Steel 316  
Spec.: Ø 3, 4, 5, 6

Details:

Wire rope rigging fitting

This stainless steel terminal is suitable for a wide variety of applications, including balustrades, signs, shade sails and trellises. The terminal is easy to install with common hand tools and is easily adjustable to suit seasonal changes. This stainless steel terminal features three-section alloy steel serrated jaws for a secure hold on wire ropes.

- \* Stainless steel terminal for a wide variety of applications
- \* Three-section alloy steel serrated jaws to hold wire securely
- \* No swaging required
- \* Easy to install with common hand tools
- \* Adjustable to suit seasonal changes
- \* Ideal for balustrades, signs, shade sails, and trellises
- \* Taiwan manufacturing, quality wire rope hardware



1. Available for wire  $\varnothing$  3, 4, 5, 6mm.
2. Jaws locking system:
  - 1) OLD type: for wire  $\varnothing$  3, 4, 5, 6mm.
  - 2) NEW type: for wire  $\varnothing$  3, 4mm.

A	B	C	D	E	KW1	KW2	KW3	BL
3 mm	5 mm	6.5 mm	55 mm	7 mm	12 mm	12 mm	13 mm	500 kgs
4 mm	6 mm	8.3 mm	65 mm	10 mm	14 mm	14 mm	17 mm	1000 kgs
5 mm	8 mm	10.2 mm	79 mm	11 mm	17 mm	17 mm	21 mm	1500 kgs
6 mm	9 mm	12.1 mm	93 mm	13 mm	19 mm	19 mm	24 mm	2000 kgs

Hot selling 4-2



**8012 (Balu006-2)**

Fork- Press

Material: Stainless Steel 316


Specification:  $\varnothing$  3, 4, 5, 6, 8

Details:

**Wire rope rigging fitting**

This stainless steel terminal is suitable for a wide variety of applications, including balustrades, signs, shade sails and trellises. The terminal is easy to install with common hand tools and is easily adjustable to suit seasonal changes. This stainless steel terminal features three-section alloy steel serrated jaws for a secure hold on wire rope.

- \* Stainless steel terminal for a wide variety of applications
- \* Three-section alloy steel serrated jaws to hold wire securely
- \* No swaging required
- \* Easy to install with common hand tools
- \* Adjustable to suit seasonal changes
- \* Ideal for balustrades, signs, shade sails, and trellises
- \* Taiwan manufacturing, quality wire rope hardware



1. Available for wire  $\varnothing$  3, 4, 5, 6, 8mm.
2. Jaws locking system:
  - 1) OLD type: for wire  $\varnothing$  3, 4, 5, 6, 8mm.
  - 2) NEW type: for wire  $\varnothing$  3, 4mm.

A	B	C	D	E	KW1	KW2	BL
3 mm	5 mm	7 mm	55 mm	9.6 mm	12 mm	12 mm	500 kgs
4 mm	6 mm	7.1 mm	62 mm	9.2 mm	14 mm	14 mm	1000 kgs
5 mm	8 mm	10.5 mm	73.2 mm	10.2 mm	17 mm	17 mm	1500 kgs
6 mm	9 mm	12.3 mm	87.5 mm	11.2 mm	19 mm	19 mm	2000 kgs
8 mm	16 mm	16.2 mm	119.5 mm	15.5 mm	24 mm	22 mm	4000 kgs

Hot selling 5



**8014 3mm Standard Threaded**

Material: Threaded terminal- **Machine**  
 Specification: Stainless Steel 316


Details:

**Wire rope rigging fitting**

This stainless steel terminal is suitable for a wide variety of applications, including balustrades, signs, shade sails and trellises. The terminal is easy to install with common hand tools and is easily adjustable to suit seasonal changes. This stainless steel terminal features three-section alloy steel serrated jaws for a secure hold on wire.

- \* Stainless steel terminal for a wide variety of applications
- \* Three-section alloy steel serrated jaws to hold wire securely
- \* No swaging required
- \* Easy to install with common hand tools
- \* Adjustable to suit seasonal changes
- \* Ideal for balustrades, signs, shade sails, and trellises
- \* Taiwan manufacturing, quality wire rope hardware

1. Available for wire Ø 3, 4, 5, 6, 8mm.



A	B	C	D	KW1	KW2	KW3	BL
3 mm	40 mm	77 mm	M5	12 mm	12 mm	10 mm	500 kgs
	45 mm	82 mm	M6				
4 mm	45 mm	88 mm	M6	14 mm	14 mm	12 mm	1000 kgs
	55 mm	98 mm	M8				
5 mm	55 mm	105 mm	M8	17 mm	17 mm	14 mm	1500 kgs
	60 mm	110 mm	M10				
6 mm	60 mm	122 mm	M10	19 mm	19 mm	17 mm	2000 kgs
	80 mm	142 mm	M12				
8 mm	80 mm	157.5 mm	M12	24 mm	22 mm	19 mm	4000 kgs
	90 mm	167.5 mm	M16				

Hot selling 6



**8014-1 3mm Ex long threaded**

Desc.: **Threaded terminal- Welded**  
 Material: Stainless Steel 316  
 Specification: Ø 3、4


Details:

**Wire rope rigging fitting**

This stainless steel terminal is suitable for a wide variety of applications, including balustrades, signs, shade sails and trellises. The terminal is easy to install with common hand tools and is easily adjustable to suit seasonal changes. This stainless steel terminal features three-section alloy steel serrated jaws for a secure hold on wire rope.

- \* Stainless steel terminal for a wide variety of applications
- \* Three-section alloy steel serrated jaws to hold wire securely
- \* No swaging required
- \* Easy to install with common hand tools
- \* Adjustable to suit seasonal changes
- \* Ideal for balustrades, signs, shade sails, and trellises
- \* Taiwan manufacturing, quality wire rope hardware

1. Available for wire Ø 3, 4mm.



A	B	C	D	KW1	KW2	KW3	BL
3 mm	45 mm ~ 125 mm	82 mm ~ 162 mm	M6	10 mm	12 mm	12 mm	500 kgs
4 mm	45 mm ~ 125 mm	82 mm ~ 162 mm	M6	12 mm	14 mm	14 mm	1000 kgs

Hot selling 7



**8016, 8017 Female**

Desc. Rotary fitting  
 Material: Stainless Steel 316  
 Spec.: 3mm and 4mm

Details:

**Wire rope rigging fitting**

This stainless steel terminal is suitable for a wide variety of applications, including balustrades, signs, shade sails and trellises. The terminal is easy to install with common hand tools and is easily adjustable to suit seasonal changes. This stainless steel terminal features three-section alloy steel serrated jaws for a secure hold on wire rope.

- \* Stainless steel terminal for a wide variety of applications
- \* Three-section alloy steel serrated jaws to hold wire securely
- \* No swaging required
- \* Easy to install with common hand tools
- \* Adjustable to suit seasonal changes
- \* Ideal for balustrades, signs, shade sails, and trellises
- \* Taiwan manufacturing, quality wire rope hardware



1. Available for wire Ø 3, 4 mm.

Hot selling 8



**8016A, 8017 Male**

Desc. Rotary fitting  
 Material: Stainless Steel 316  
 Spec.: 3mm and 4mm


Details:

**Wire rope rigging fitting**

This stainless steel terminal is suitable for a wide variety of applications, including balustrades, signs, shade sails and trellises. The terminal is easy to install with common hand tools and is easily adjustable to suit seasonal changes. This stainless steel terminal features three-section alloy steel serrated jaws for a secure hold on wire rope.

- \* Stainless steel terminal for a wide variety of applications
- \* Three-section alloy steel serrated jaws to hold wire securely
- \* No swaging required
- \* Easy to install with common hand tools
- \* Adjustable to suit seasonal changes
- \* Ideal for balustrades, signs, shade sails, and trellises
- \* Taiwan manufacturing, quality wire rope hardware

1. Available for wire Ø 3, 4 mm.



A	B	C	D	E	KW1	KW2	KW3	BL
5 mm	41 mm	2.5 mm	86 mm	3 mm	12 mm	12 mm	8 mm	500 kgs
5 mm	41 mm	2.5 mm	90 mm	4 mm	14 mm	14 mm	10 mm	1000 kgs



Hot selling 9



**8018-1 3mm Lag Screw**

Desc.: Lag Jaw

Material: Stainless Steel 316

Hot selling 10



**1036 : 75mm, 115mm  
(9011)**

Desc.: 75mm Cylindrical Tensioner, M6 Thread 75mm  
115mm Cylindrical Tensioner, M6 Thread 115mm

Material: Stainless Steel 316

Hot selling 11



**1023 (9013)**

Desc.: 3mm Swage Stud Cable

Material: Stainless Steel 316

Hot selling 12



**Balu006-1**

Desc.: 3mm

Material: Stainless Steel 316

Hot selling 13



Flat washer, small center hole

Desc.:

Material: Stainless Steel 316

Hot selling 14



**M6 Hex Nut**


Cable Rail

Hot selling 15



**SEP 3mm 30 Square**  
 Desc.: Square Eye Plate  
 Material: Stainless Steel 316

Hot selling 16



**Beveled Washer**  
 Angel Washer

Hot selling 17




**16001-Cable cutters**  
 3mm Wire Cutter- HQ Drop Forged (w/o plastic tub)

Hot selling 18



**HAND SWAGING TOOL**



Hole No.	Swage and cutting a diametral size of wire		OVAL SLEEVE Model No.
	Øm/m	Ø(inch)	
①	1.58	1/16	OS-1A
	2.00	5/64	OS-1B
②	2.38~2.50	3/32	OS-2A
	2.78	7/64	OS-2B
③	3.00~3.17	1/8	OS-3A
	3.50	—	OS-3B
④	3.96~4.00	5/32	OS-4A
⑤	4.76~5.00	3/16	OS-5A

Hot selling 19



**Wrench**  
 Fix Blustrading tool  
 Multi-size Spanner ZP

**The wire rope test report:**

Strength:



3mm > 500KGS and more  
 4mm > 1,000KGS and more  
 5mm > 1,600KGS and more

6mm > 2,000KGS and more  
 8mm > 3,500KGS and more

Thank you for your reviewing. Your inquiry is welcome and appreciated.

B2B <https://www.taiwanmfg.com/wire-rope-rigging.htm>

B2B <https://www.taiwanmfg.com/ebook.htm> (Down load catalogue)

01.06.2020