


Rising Sun Rubber Co., Ltd

Factory : No.5-4, San-he Village ,Fuxing Township, Changhua County, Taiwan

Office : No.178, Yude Rd., North Dist., Taichung City, Taiwan

Tel. :886 4 2206 8598 Fax :886 4 2206 8198


YH21 TYPE



ROD SEAL

The function of packings with large section can be used for wide range of pressure. Packings with small section can be fitted in integrated groove.


PART NO.	TYPE	ID	OD	H		Material
21006013005	YH21	6	13	5	mm	PU
21006014057	YH21	6	14	5.7	mm	PU
21008016004	YH21	8	16	4	mm	PU
21008016057	YH21	8	16	5.7	mm	PU
21010016045	YH21	10	16	4.5	mm	PU
21010017045	YH21	10	17	4.5	mm	PU
21010018057	YH21	10	18	5.7	mm	PU
21010020072	YH21	10	20	7.2	mm	PU
21011019063	YH21	11	19	6.3	mm	PU
21012018006	YH21	12	18	6	mm	PU
21012020057	YH21	12	20	5.7	mm	PU
21015023057	YH21	15	23	5.7	mm	PU
21015025008	YH21	15	25	8	mm	PU
21016022005	YH21	16	22	5	mm	PU
21016026072	YH21	16	26	7.2	mm	PU
21016026008	YH21	16	26	8	mm	PU
21016026009	YH21	16	26	9	mm	PU
21018026057	YH21	18	26	5.7	mm	PU
21018026008	YH21	18	26	8	mm	PU
21018028072	YH21	18	28	7.2	mm	PU
21018028008	YH21	18	28	8	mm	PU
21020027006	YH21	20	27	6	mm	PU
21020028057	YH21	20	28	5.7	mm	PU
21020028062	YH21	20	28	6.2	mm	PU
21020030072	YH21	20	30	7.2	mm	PU
21020030010	YH21	20	30	10	mm	PU
21020032008	YH21	20	32	8	mm	PU
21022030057	YH21	22	30	5.7	mm	PU
21022030008	YH21	22	30	8	mm	PU
21022032072	YH21	22	32	7.2	mm	PU
21224030005	YH21	22.4	30	5	mm	PU
21025033005	YH21	25	33	5	mm	PU
21025033006	YH21	25	33	6	mm	PU
21025033010	YH21	25	33	10	mm	PU



ROD SEAL

The function of packings with large section can be used for wide range of pressure. Packings with small section can be fitted in integrated groove.


PART NO.	TYPE	ID	OD	H		Material
21025035006	YH21	25	35	6	mm	PU
21025035072	YH21	25	35	7.2	mm	PU
21025035008	YH21	25	35	8	mm	PU
21025035010	YH21	25	35	10	mm	PU
21025038010	YH21	25	38	10	mm	PU
21028036057	YH21	28	36	5.7	mm	PU
21028038006	YH21	28	38	6	mm	PU
21028038072	YH21	28	38	7.2	mm	PU
21028038008	YH21	28	38	8	mm	PU
21028043115	YH21	28	43	11.5	mm	PU
21030038057	YH21	30	38	5.7	mm	PU
21030040007	YH21	30	40	7	mm	PU
21030040072	YH21	30	40	7.2	mm	PU
21030040010	YH21	30	40	10	mm	PU
21032040005	YH21	32	40	5	mm	PU
21032040057	YH21	32	40	5.7	mm	PU
21032040008	YH21	32	40	8	mm	PU
21032042072	YH21	32	42	7.2	mm	PU
21032042010	YH21	32	42	10	mm	PU
21032047010	YH21	32	47	10	mm	PU
21032048010	YH21	32	48	10	mm	PU
21035043057	YH21	35	43	5.7	mm	PU
21035043008	YH21	35	43	8	mm	PU
21035045006	YH21	35	45	6	mm	PU
21035045072	YH21	35	45	7.2	mm	PU
21035045010	YH21	35	45	10	mm	PU
21035050010	YH21	35	50	10	mm	PU
21036044057	YH21	36	44	5.7	mm	PU
21036046072	YH21	36	46	7.2	mm	PU
21036046010	YH21	36	46	10	mm	PU
21036051115	YH21	36	51	11.5	mm	PU
21037047010	YH21	37	47	10	mm	PU
21038048007	YH21	38	48	7	mm	PU
21040048057	YH21	40	48	5.7	mm	PU
21040048008	YH21	40	48	8	mm	PU
21040050072	YH21	40	50	7.2	mm	PU
21040055072	YH21	40	55	7.2	mm	PU
21040055009	YH21	40	55	9	mm	PU
21040055010	YH21	40	55	10	mm	PU



ROD SEAL

The function of packings with large section can be used for wide range of pressure. Packings with small section can be fitted in integrated groove.


PART NO.	TYPE	ID	OD	H		Material
21040055115	YH21	40	55	11.5	mm	PU
21429523007	YH21	42.9	52.3	7	mm	PU
21045053057	YH21	45	53	5.7	mm	PU
21045053008	YH21	45	53	8	mm	PU
21045053010	YH21	45	53	10	mm	PU
21045053012	YH21	45	53	12	mm	PU
21045055072	YH21	45	55	7.2	mm	PU
21045055007	YH21	45	55	7	mm	PU
21045060009	YH21	45	60	9	mm	PU
21045060010	YH21	45	60	10	mm	PU
21045060115	YH21	45	60	11.5	mm	PU
21045065010	YH21	45	65	10	mm	PU
21050060006	YH21	50	60	6	mm	PU
21050060072	YH21	50	60	7.2	mm	PU
21050060008	YH21	50	60	8	mm	PU
21050060010	YH21	50	60	10	mm	PU
21050065009	YH21	50	65	9	mm	PU
21050065010	YH21	50	65	10	mm	PU
21050065115	YH21	50	65	11.5	mm	PU
21050070012	YH21	50	70	12	mm	PU
21052062010	YH21	52	62	10	mm	PU
21055063008	YH21	55	63	8	mm	PU
21055065072	YH21	55	65	7.2	mm	PU
21055065010	YH21	55	65	10	mm	PU
21055067010	YH21	55	67	10	mm	PU
21055068010	YH21	55	68	10	mm	PU
21055070009	YH21	55	70	9	mm	PU
21055070010	YH21	55	70	10	mm	PU
21055070106	YH21	55	70	10.6	mm	PU
21056066010	YH21	56	66	10	mm	PU
21056071010	YH21	56	71	10	mm	PU
21056071115	YH21	56	71	11.5	mm	PU
21060070006	YH21	60	70	6	mm	PU
21060070072	YH21	60	70	7.2	mm	PU
21060070010	YH21	60	70	10	mm	PU
21060070118	YH21	60	70	11.8	mm	PU
21060070012	YH21	60	70	12	mm	PU
21060070013	YH21	60	70	13	mm	PU
21060073010	YH21	60	73	10	mm	PU



ROD SEAL

The function of packings with large section can be used for wide range of pressure. Packings with small section can be fitted in integrated groove.


PART NO.	TYPE	ID	OD	H		Material
21060075006	YH21	60	75	6	mm	PU
21060075009	YH21	60	75	9	mm	PU
21060075115	YH21	60	75	11.5	mm	PU
21060075012	YH21	60	75	12	mm	PU
21060080012	YH21	60	80	12	mm	PU
21063071006	YH21	63	71	6	mm	PU
21063073010	YH21	63	73	10	mm	PU
21063073012	YH21	63	73	12	mm	PU
21063075087	YH21	63	75	8.7	mm	PU
21063078010	YH21	63	78	10	mm	PU
21063078115	YH21	63	78	11.5	mm	PU
21065073115	YH21	65	73	11.5	mm	PU
21065075010	YH21	65	75	10	mm	PU
21065075012	YH21	65	75	12	mm	PU
21065078010	YH21	65	78	10	mm	PU
21065080009	YH21	65	80	9	mm	PU
21065080010	YH21	65	80	10	mm	PU
21070080006	YH21	70	80	6	mm	PU
21070080012	YH21	70	80	12	mm	PU
21070082009	YH21	70	82	9	mm	PU
21070085009	YH21	70	85	9	mm	PU
21070085010	YH21	70	85	10	mm	PU
21070085106	YH21	70	85	10.6	mm	PU
21070085115	YH21	70	85	11.5	mm	PU
21070085012	YH21	70	85	12	mm	PU
21070090012	YH21	70	90	12	mm	PU
21072087009	YH21	72	87	9	mm	PU
21075085006	YH21	75	85	6	mm	PU
21075085072	YH21	75	85	7.2	mm	PU
21075088010	YH21	75	88	10	mm	PU
21075090009	YH21	75	90	9	mm	PU
21075090012	YH21	75	90	12	mm	PU
21075095012	YH21	75	95	12	mm	PU
21080090006	YH21	80	90	6	mm	PU
21080090072	YH21	80	90	7.2	mm	PU
21080090105	YH21	80	90	10.5	mm	PU
21080090012	YH21	80	90	12	mm	PU
21080093010	YH21	80	93	10	mm	PU
21080095009	YH21	80	95	9	mm	PU



ROD SEAL

The function of packings with large section can be used for wide range of pressure. Packings with small section can be fitted in integrated groove.

PART NO.	TYPE	ID	OD	H		Material
21080095115	YH21	80	95	11.5	mm	PU
21080095012	YH21	80	95	12	mm	PU
21080100012	YH21	80	100	12	mm	PU
21080100135	YH21	80	100	13.5	mm	PU
21082935064	YH21	82	93.5	6.4	mm	PU
21085095012	YH21	85	95	12	mm	PU
21085100009	YH21	85	100	9	mm	PU
21085100010	YH21	85	100	10	mm	PU
21085100012	YH21	85	100	12	mm	PU
21087095115	YH21	87	95	11.5	mm	PU
21090100012	YH21	90	100	12	mm	PU
21090105009	YH21	90	105	9	mm	PU
21090105010	YH21	90	105	10	mm	PU
21090105115	YH21	90	105	11.5	mm	PU
21090105012	YH21	90	105	12	mm	PU
21090110009	YH21	90	110	9	mm	PU
21090110012	YH21	90	110	12	mm	PU
21095105009	YH21	95	105	9	mm	PU
21095105012	YH21	95	105	12	mm	PU
21095110009	YH21	95	110	9	mm	PU
21095110102	YH21	95	110	10.2	mm	PU
21098113009	YH21	98	113	9	mm	PU
21100115009	YH21	100	115	9	mm	PU
21100115105	YH21	100	115	10.5	mm	PU
21100115011	YH21	100	115	11	mm	PU
21100115012	YH21	100	115	12	mm	PU
21100120115	YH21	100	120	11.5	mm	PU
21100120012	YH21	100	120	12	mm	PU
21100125012	YH21	100	125	12	mm	PU
21105120009	YH21	105	120	9	mm	PU
21105125012	YH21	105	125	12	mm	PU
21110125009	YH21	110	125	9	mm	PU
21110125012	YH21	110	125	12	mm	PU
21110130012	YH21	110	130	12	mm	PU
21110130013	YH21	110	130	13	mm	PU
21110130015	YH21	110	130	15	mm	PU
21115130009	YH21	115	130	9	mm	PU
21115135012	YH21	115	135	12	mm	PU
21118133009	YH21	118	133	9	mm	PU



ROD SEAL

The function of packings with large section can be used for wide range of pressure. Packings with small section can be fitted in integrated groove.

PART NO.	TYPE	ID	OD	H		Material
21120135015	YH21	120	135	15	mm	PU
21120140012	YH21	120	140	12	mm	PU
21120140013	YH21	120	140	13	mm	PU
21120140015	YH21	120	140	15	mm	PU
21125140009	YH21	125	140	9	mm	PU
21125145015	YH21	125	145	15	mm	PU
21130150012	YH21	130	150	12	mm	PU
21130150013	YH21	130	150	13	mm	PU
21130150015	YH21	130	150	15	mm	PU
21140160012	YH21	140	160	12	mm	PU
21140160013	YH21	140	160	13	mm	PU
21140160015	YH21	140	160	15	mm	PU
21150170012	YH21	150	170	12	mm	PU
21150170015	YH21	150	170	15	mm	PU
21160180015	YH21	160	180	15	mm	PU
21170190015	YH21	170	190	15	mm	PU
21180200015	YH21	180	200	15	mm	PU
21180205015	YH21	180	205	15	mm	PU
21190210015	YH21	190	210	15	mm	PU
21200225016	YH21	200	225	16	mm	PU

Rising Sun Rubber Co., Ltd

Factory : No.5-4, San-he Village ,Fuxing Township, Changhua County, Taiwan

Office : No.178, Yude Rd., North Dist., Taichung City, Taiwan

Tel. :886 4 2206 8598 Fax :886 4 2206 8198

YH22 TYPE




ROD SEAL

The function is an asymmetric seal offering best dry rod sealing for light and medium duty applications . The twin lip offering : lower friction and the primary lip protection increased seal stability.

PART NO.	TYPE	ID	OD	H		Material
22004012006	YH22	4	12	6	mm	PU
22006014055	YH22	6	14	5.5	mm	PU
22006014057	YH22	6	14	5.7	mm	PU
22008016004	YH22	8	16	4	mm	PU
22008016055	YH22	8	16	5.5	mm	PU
22008016057	YH22	8	16	5.7	mm	PU
22008018008	YH22	8	18	8	mm	PU
22010016045	YH22	10	16	4.5	mm	PU
22010018055	YH22	10	18	5.5	mm	PU
22010020007	YH22	10	20	7	mm	PU
22010020008	YH22	10	20	8	mm	PU
22012020008	YH22	12	20	8	mm	PU
22012022008	YH22	12	22	8	mm	PU
22014022055	YH22	14	22	5.5	mm	PU
22014024008	YH22	14	24	8	mm	PU
22015025008	YH22	15	25	8	mm	PU
22016024055	YH22	16	24	5.5	mm	PU
22018028008	YH22	18	28	8	mm	PU
22020028055	YH22	20	28	5.5	mm	PU
22020035010	YH22	20	35	10	mm	PU
22022030006	YH22	22	30	6	mm	PU
22222036953	YH22	22.23	36	9.53	mm	PU
22224030005	YH22	22.4	30	5	mm	PU
22023035010	YH22	23	35	10	mm	PU
22025033005	YH22	25	33	5	mm	PU
22025033055	YH22	25	33	5.5	mm	PU
22025033006	YH22	25	33	6	mm	PU
22025033065	YH22	25	33	6.5	mm	PU
22025036006	YH22	25	36	6	mm	PU
22025040010	YH22	25	40	10	mm	PU
22025045012	YH22	25	45	12	mm	PU
22028043115	YH22	28	43	11.5	mm	PU
22030040073	YH22	30	40	7.3	mm	PU

YH22 TYPE




ROD SEAL

The function is an asymmetric seal offering best dry rod sealing for light and medium duty applications . The twin lip offering : lower friction and the primary lip protection increased seal stability.

PART NO.	TYPE	ID	OD	H		Material
22030040010	YH22	30	40	10	mm	PU
22030045010	YH22	30	45	10	mm	PU

22030050012	YH22	30	50	12	mm	PU
22032040067	YH22	32	40	6.7	mm	PU
22032040008	YH22	32	40	8	mm	PU
22032042010	YH22	32	42	10	mm	PU
22032045010	YH22	32	45	10	mm	PU
22032047115	YH22	32	47	11.5	mm	PU
22032048010	YH22	32	48	10	mm	PU
22035045006	YH22	35	45	6	mm	PU
22035045010	YH22	35	45	10	mm	PU
22035050010	YH22	35	50	10	mm	PU
22036046007	YH22	36	46	7	mm	PU
22036046010	YH22	36	46	10	mm	PU
22036051010	YH22	36	51	10	mm	PU
22036056012	YH22	36	56	12	mm	PU
22037047008	YH22	37	47	8	mm	PU
22038048007	YH22	38	48	7	mm	PU
22038055010	YH22	38	55	10	mm	PU
22040050073	YH22	40	50	7.3	mm	PU
22040050010	YH22	40	50	10	mm	PU
22040055009	YH22	40	55	9	mm	PU
22040055010	YH22	40	55	10	mm	PU
22042052010	YH22	42	52	10	mm	PU
22045053056	YH22	45	53	5.6	mm	PU
22045055007	YH22	45	55	7	mm	PU
22045060009	YH22	45	60	9	mm	PU
22045060010	YH22	45	60	10	mm	PU
22048063010	YH22	48	63	10	mm	PU
22050060006	YH22	50	60	6	mm	PU
22050060008	YH22	50	60	8	mm	PU
22050060010	YH22	50	60	10	mm	PU
22050062010	YH22	50	62	10	mm	PU
22050065009	YH22	50	65	9	mm	PU
22050070012	YH22	50	70	12	mm	PU
22052062010	YH22	52	62	10	mm	PU
22536692953	YH22	53.6	69.2	9.53	mm	PU
22055064015	YH22	55	64	15	mm	PU
22055065010	YH22	55	65	10	mm	PU

YH22 TYPE



ROD SEAL

The function is an asymmetric seal offering best dry rod sealing for light and medium duty applications. The twin lip offering: lower friction and the primary lip protection increased seal stability.

PART NO.	TYPE	ID	OD	H		Material
22055065012	YH22	55	65	12	mm	PU
22055068010	YH22	55	68	10	mm	PU
22055070009	YH22	55	70	9	mm	PU
22055070010	YH22	55	70	10	mm	PU
22055075012	YH22	55	75	12	mm	PU
22056066010	YH22	56	66	10	mm	PU
22056076012	YH22	56	76	12	mm	PU
22060070010	YH22	60	70	10	mm	PU
22060070012	YH22	60	70	12	mm	PU
22060072010	YH22	60	72	10	mm	PU
22060073010	YH22	60	73	10	mm	PU
22060075006	YH22	60	75	6	mm	PU
22060075009	YH22	60	75	9	mm	PU
22060075010	YH22	60	75	10	mm	PU

22060080012	YH22	60	80	12	mm	PU
22063071006	YH22	63	71	6	mm	PU
22063073012	YH22	63	73	12	mm	PU
22063083135	YH22	63	83	13.5	mm	PU
22065075007	YH22	65	75	7	mm	PU
22065075012	YH22	65	75	12	mm	PU
22065078010	YH22	65	78	10	mm	PU
22065080009	YH22	65	80	9	mm	PU
22065080010	YH22	65	80	10	mm	PU
22065080012	YH22	65	80	12	mm	PU
22065085012	YH22	65	85	12	mm	PU
22070079015	YH22	70	79	15	mm	PU
22070080012	YH22	70	80	12	mm	PU
22070083010	YH22	70	83	10	mm	PU
22070085009	YH22	70	85	9	mm	PU
22070085012	YH22	70	85	12	mm	PU
22070085016	YH22	70	85	16	mm	PU
22070090012	YH22	70	90	12	mm	PU
22070090015	YH22	70	90	15	mm	PU
22073087009	YH22	73	87	9	mm	PU
22075085010	YH22	75	85	10	mm	PU
22075085012	YH22	75	85	12	mm	PU
22075088010	YH22	75	88	10	mm	PU
22075090009	YH22	75	90	9	mm	PU
22075090010	YH22	75	90	10	mm	PU

YH22 TYPE




ROD SEAL

The function is an asymmetric seal offering best dry rod sealing for light and medium duty applications. The twin lip offering: lower friction and the primary lip protection increased seal stability.

PART NO.	TYPE	ID	OD	H		Material
22075090012	YH22	75	90	12	mm	PU
22075095012	YH22	75	95	12	mm	PU
22078086115	YH22	78	86	11.5	mm	PU
22080090006	YH22	80	90	6	mm	PU
22080090012	YH22	80	90	12	mm	PU
22080095009	YH22	80	95	9	mm	PU
22080095010	YH22	80	95	10	mm	PU
22080095012	YH22	80	95	12	mm	PU
22080100012	YH22	80	100	12	mm	PU
22080100015	YH22	80	100	15	mm	PU
22085094015	YH22	85	94	15	mm	PU
22085100009	YH22	85	100	9	mm	PU
22085100012	YH22	85	100	12	mm	PU
22085105012	YH22	85	105	12	mm	PU
22090100115	YH22	90	100	11.5	mm	PU
22090105009	YH22	90	105	9	mm	PU
22090105010	YH22	90	105	10	mm	PU
22090105012	YH22	90	105	12	mm	PU
22090110012	YH22	90	110	12	mm	PU
22095105009	YH22	95	105	9	mm	PU
22095105012	YH22	95	105	12	mm	PU
22095110009	YH22	95	110	9	mm	PU
22095115012	YH22	95	115	12	mm	PU
22098113009	YH22	98	113	9	mm	PU
22100109015	YH22	100	109	15	mm	PU
22100110113	YH22	100	110	11.3	mm	PU

22100115009	YH22	100	115	9	mm	PU
22100115012	YH22	100	115	12	mm	PU
22100120012	YH22	100	120	12	mm	PU
22100120145	YH22	100	120	14.5	mm	PU
22100120015	YH22	100	120	15	mm	PU
22100125015	YH22	100	125	15	mm	PU
22101120159	YH22	101.6	120	15.9	mm	PU
22105120009	YH22	105	120	9	mm	PU
22105120099	YH22	105	120	9.9	mm	PU
22105125012	YH22	105	125	12	mm	PU
22110120012	YH22	110	120	12	mm	PU
22110125009	YH22	110	125	9	mm	PU
22110125015	YH22	110	125	15	mm	PU

YH22 TYPE



ROD SEAL

The function is an asymmetric seal offering best dry rod sealing for light and medium duty applications. The twin lip offering: lower friction and the primary lip protection increased seal stability.

PART NO.	TYPE	ID	OD	H		Material
22110130012	YH22	110	130	12	mm	PU
22110130013	YH22	110	130	13	mm	PU
22110130015	YH22	110	130	15	mm	PU
22115124015	YH22	115	124	15	mm	PU
22115125012	YH22	115	125	12	mm	PU
22115130009	YH22	115	130	9	mm	PU
22115135012	YH22	115	135	12	mm	PU
22115140015	YH22	115	140	15	mm	PU
22118126135	YH22	118	126	13.5	mm	PU
22120135015	YH22	120	135	15	mm	PU
22120140012	YH22	120	140	12	mm	PU
22120140013	YH22	120	140	13	mm	PU
22120140015	YH22	120	140	15	mm	PU
22125140009	YH22	125	140	9	mm	PU
22125150015	YH22	125	150	15	mm	PU
22130150012	YH22	130	150	12	mm	PU
22130150013	YH22	130	150	13	mm	PU
22130150015	YH22	130	150	15	mm	PU
22132142015	YH22	132	142	15	mm	PU
22140150115	YH22	140	150	11.5	mm	PU
22140155012	YH22	140	155	12	mm	PU
22140160013	YH22	140	160	13	mm	PU
22150160015	YH22	150	160	15	mm	PU
22150170015	YH22	150	170	15	mm	PU
22140170018	YH22	140	170	18	mm	PU
22160168115	YH22	160	168	11.5	mm	PU
22160180015	YH22	160	180	15	mm	PU
22160185015	YH22	160	185	15	mm	PU
22160190018	YH22	160	190	18	mm	PU
22170200018	YH22	170	200	18	mm	PU
22180205015	YH22	180	205	15	mm	PU
22180205019	YH22	180	205	19	mm	PU
22200225019	YH22	200	225	19	mm	PU
22210240018	YH22	210	240	18	mm	PU
22220250018	YH22	220	250	18	mm	PU


Rising Sun Rubber Co., Ltd

Factory : No.5-4, San-he Village ,Fuxing Township, Changhua County, Taiwan

Office : No.178, Yude Rd., North Dist., Taichung City, Taiwan

Tel. :886 4 2206 8598 Fax :886 4 2206 8198

YH25 TYPE




PART NO.	TYPE	ID	OD	H		Material
25040555006	YH25	40	55.5	6	mm	PU+NYLON
25045605006	YH25	45	60.5	6	mm	PU+NYLON
25050655006	YH25	50	65.5	6	mm	PU+NYLON
25055705006	YH25	55	70.5	6	mm	PU+NYLON
25060755006	YH25	60	75.5	6	mm	PU+NYLON
25065805006	YH25	65	80.5	6	mm	PU+NYLON
25070855006	YH25	70	85.5	6	mm	PU+NYLON
25075905006	YH25	75	90.5	6	mm	PU+NYLON
25080955006	YH25	80	95.5	6	mm	PU+NYLON
25085100006	YH25	85	100.5	6	mm	PU+NYLON
25090105006	YH25	90	105.5	6	mm	PU+NYLON
25095110006	YH25	95	110.5	6	mm	PU+NYLON
25100115006	YH25	100	115.5	6	mm	PU+NYLON
25105120006	YH25	105	120.5	6	mm	PU+NYLON
25110125006	YH25	110	125.5	6	mm	PU+NYLON
25115130006	YH25	115	130.5	6	mm	PU+NYLON
25120135006	YH25	120	135.5	6	mm	PU+NYLON
25130145006	YH25	130	145.5	6	mm	PU+NYLON
25140155006	YH25	140	155.5	6	mm	PU+NYLON
25160175006	YH25	160	175.5	6	mm	PU+NYLON

Rising Sun Rubber Co., Ltd

Factory : No.5-4, San-he Village ,Fuxing Township, Changhua County, Ta

Office : No.178, Yude Rd., North Dist., Taichung City, Taiwan

Tel. :886 4 2206 8598 Fax :886 4 2206 8198




PISTON AND ROD SEALS

The packing function of the piston and rod seals.

The large section can be used in a wide range of operations. Any size of seal can be fitted in integral.

PART NO.	TYPE	ID	OD	H	
33003009045	YH33	3	9	4.5	mm
33003010005	YH33	3	10	5	mm
33004010004	YH33	4	10	4	mm
33045011005	YH33	4.5	11	5	mm
33045125045	YH33	4.5	12.5	4.5	mm
33005012005	YH33	5	12	5	mm
33005012006	YH33	5	12	6	mm
33006011006	YH33	6	11	6	mm
33006012004	YH33	6	12	4	mm
33006012045	YH33	6	12	4.5	mm
33006012005	YH33	6	12	5	mm
33006012055	YH33	6	12	5.5	mm
33006012006	YH33	6	12	6	mm
33006012008	YH33	6	12	8	mm
33006015005	YH33	6	15	5	mm
33006015008	YH33	6	15	8	mm
33006016008	YH33	6	16	8	mm
33007015007	YH33	7	15	7	mm
33008014006	YH33	8	14	6	mm
33008015057	YH33	8	15	5.7	mm
33008015008	YH33	8	15	8	mm
33008016055	YH33	8	16	5.5	mm
33008016057	YH33	8	16	5.7	mm
33008016006	YH33	8	16	6	mm
33008016008	YH33	8	16	8	mm
33008018006	YH33	8	18	6	mm
33008018009	YH33	8	18	9	mm
33008022008	YH33	8	22	8	mm
33009015008	YH33	9	15	8	mm
33010016004	YH33	10	16	4	mm
33010016006	YH33	10	16	6	mm
33010018004	YH33	10	18	4	mm
33010018005	YH33	10	18	5	mm




PISTON AND ROD SEALS

The packing function of the piston and rod seals.

The large section can be used in a wide range of operations. Any size of seal can be fitted in integral

PART NO.	TYPE	ID	OD	H	
33010018055	YH33	10	18	5.5	mm
33010018006	YH33	10	18	6	mm
33010018008	YH33	10	18	8	mm
33010018010	YH33	10	18	10	mm
33010020005	YH33	10	20	5	mm
33010020008	YH33	10	20	8	mm
33010022006	YH33	10	22	6	mm
33010022008	YH33	10	22	8	mm
33112192005	YH33	11.2	19.2	5	mm
33012018005	YH33	12	18	5	mm
33012018006	YH33	12	18	6	mm
33012018008	YH33	12	18	8	mm
33012019005	YH33	12	19	5	mm
33012020005	YH33	12	20	5	mm
33012020006	YH33	12	20	6	mm
33012020007	YH33	12	20	7	mm
33012020008	YH33	12	20	8	mm
33012022005	YH33	12	22	5	mm
33012022007	YH33	12	22	7	mm
33012022008	YH33	12	22	8	mm
33012024008	YH33	12	24	8	mm
33012024009	YH33	12	24	9	mm
33012025008	YH33	12	25	8	mm
33012025010	YH33	12	25	10	mm
33012028006	YH33	12	28	6	mm
33014020048	YH33	14	20	4.8	mm
33014020005	YH33	14	20	5	mm
33014022005	YH33	14	22	5	mm
33014022006	YH33	14	22	6	mm
33014022008	YH33	14	22	8	mm
33014024008	YH33	14	24	8	mm
33014026008	YH33	14	26	8	mm
33015025006	YH33	15	25	6	mm
33015025008	YH33	15	25	8	mm
33015025010	YH33	15	25	10	mm
33015027006	YH33	15	27	6	mm
33016022004	YH33	16	22	4	mm
33016022005	YH33	16	22	5	mm
33016022006	YH33	16	22	6	mm




PISTON AND ROD SEALS


The packing function of the piston and rod seals.

The large section can be used in a wide range of operations. Any size can be fitted in integral

PART NO.	TYPE	ID	OD	H	
33016022007	YH33	16	22	7	mm
33016024005	YH33	16	24	5	mm
33016024009	YH33	16	24	9	mm
33016026010	YH33	16	26	10	mm
33016026005	YH33	16	26	5	mm
33016026008	YH33	16	26	8	mm
33016028006	YH33	16	28	6	mm
33016032008	YH33	16	32	8	mm
33017025010	YH33	17	25	10	mm
33017027005	YH33	17	27	5	mm
33018025005	YH33	18	25	5	mm
33018025006	YH33	18	25	6	mm
33018026005	YH33	18	26	5	mm
33018026065	YH33	18	26	6.5	mm
33018026008	YH33	18	26	8	mm
33018026085	YH33	18	26	8.5	mm
33018028008	YH33	18	28	8	mm
33018030008	YH33	18	30	8	mm
33018034008	YH33	18	34	8	mm
33019025006	YH33	19	25	6	mm
33019027005	YH33	19	27	5	mm
33020026005	YH33	20	26	5	mm
33020027005	YH33	20	27	5	mm
33020028004	YH33	20	28	4	mm
33020028005	YH33	20	28	5	mm
33020028008	YH33	20	28	8	mm
33020030005	YH33	20	30	5	mm
33020030007	YH33	20	30	7	mm
33020030008	YH33	20	30	8	mm
33020030010	YH33	20	30	10	mm
33020032006	YH33	20	32	6	mm
33020032007	YH33	20	32	7	mm
33020032075	YH33	20	32	7.5	mm
33020032008	YH33	20	32	8	mm
33020035008	YH33	20	35	8	mm
33020035010	YH33	20	35	10	mm
33020035012	YH33	20	35	12	mm
33020040010	YH33	20	40	10	mm
33020040012	YH33	20	40	12	mm



PISTON AND ROD SEALS




PISTON AND ROD


The packing function of the piston and rod seals.

The large section can be used for a wide range of operations. Arrows indicate the direction of flow. The seal can be fitted in integral

PART NO.	TYPE	ID	OD	H	
33022028004	YH33	22	28	4	mm
33022028008	YH33	22	28	8	mm
33022030004	YH33	22	30	4	mm
33022030005	YH33	22	30	5	mm
33022030005	YH33	22	30	5	mm
33022030006	YH33	22	30	6	mm
33022032005	YH33	22	32	5	mm
33022032006	YH33	22	32	6	mm
33022032008	YH33	22	32	8	mm
33022032010	YH33	22	32	10	mm
33022035010	YH33	22	35	10	mm
33022040012	YH33	22	40	12	mm
33224030005	YH33	22.4	30	5	mm
33235315005	YH33	23.5	31.5	5	mm
33025032004	YH33	25	32	4	mm
33024032005	YH33	24	32	5	mm
33024032007	YH33	24	32	7	mm
33024040008	YH33	24	40	8	mm
33025035008	YH33	25	35	8	mm
33025033004	YH33	25	33	4	mm
33025033005	YH33	25	33	5	mm
33025033006	YH33	25	33	6	mm
33025033007	YH33	25	33	7	mm
33025035005	YH33	25	35	5	mm
33025035006	YH33	25	35	6	mm
33025035008	YH33	25	35	8	mm
33025035010	YH33	25	35	10	mm
33025038095	YH33	25	38	9.5	mm
33025038010	YH33	25	38	10	mm
33025040008	YH33	25	40	8	mm
33025040010	YH33	25	40	10	mm
33025045010	YH33	25	45	10	mm
33026038008	YH33	26	38	8	mm
33027033045	YH33	27	33	4.5	mm
33027035005	YH33	27	35	5	mm
33027036006	YH33	27	36	6	mm
33027043010	YH33	27	43	10	mm
33028035005	YH33	28	35	5	mm
33028355005	YH33	28	35.5	5	mm



PISTON AND ROD




PISTON AND ROD SEALS


The packing function of the piston and rod seals.

The large section can be used for a wide range of operations. Any size can be fitted in integral

PART NO.	TYPE	ID	OD	H	
33028036004	YH33	28	36	4	mm
33028036005	YH33	28	36	5	mm
33028036065	YH33	28	36	6.5	mm
33028038006	YH33	28	38	6	mm
33028038008	YH33	28	38	8	mm
33028038010	YH33	28	38	10	mm
33028040010	YH33	28	40	10	mm
33028043010	YH33	28	43	10	mm
33028044008	YH33	28	44	8	mm
33030037058	YH33	30	37	5.8	mm
33030037006	YH33	30	37	6	mm
33030038005	YH33	30	38	5	mm
33030038006	YH33	30	38	6	mm
33030038007	YH33	30	38	7	mm
33030038008	YH33	30	38	8	mm
33030040005	YH33	30	40	5	mm
33030040006	YH33	30	40	6	mm
33030040065	YH33	30	40	6.5	mm
33030040007	YH33	30	40	7	mm
33030040008	YH33	30	40	8	mm
33030040010	YH33	30	40	10	mm
33030042007	YH33	30	42	7	mm
33030042009	YH33	30	42	9	mm
33030042010	YH33	30	42	10	mm
33030043065	YH33	30	43	6.5	mm
33030045008	YH33	30	45	8	mm
33030045009	YH33	30	45	9	mm
33030045010	YH33	30	45	10	mm
33030050010	YH33	30	50	10	mm
33030050012	YH33	30	50	12	mm
33315415006	YH33	31.5	41.5	6	mm
33032040004	YH33	32	40	4	mm
33032040005	YH33	32	40	5	mm
33032040055	YH33	32	40	5.5	mm
33032004006	YH33	32	40	6	mm
33032040008	YH33	32	40	8	mm
33032040010	YH33	32	40	10	mm
33032042006	YH33	32	42	6	mm
33032042010	YH33	32	42	10	mm



PISTON AND ROD SEALS




PISTON AND ROD


The packing function of the piston and rod seals.

The large section can be used for a wide range of operations. Arrows indicate the direction of flow. The seal can be fitted in integral

PART NO.	TYPE	ID	OD	H	
33032044004	YH33	32	44	4	mm
33032045010	YH33	32	45	10	mm
33032047010	YH33	32	47	10	mm
33032050010	YH33	32	50	10	mm
33032050012	YH33	32	50	12	mm
33033043010	YH33	33	43	10	mm
33034045009	YH33	34	45	9	mm
33035043006	YH33	35	43	6	mm
33035045006	YH33	35	45	6	mm
33035045007	YH33	35	45	7	mm
33035045008	YH33	35	45	8	mm
33035045010	YH33	35	45	10	mm
33035050008	YH33	35	50	8	mm
33035050009	YH33	35	50	9	mm
33035050010	YH33	35	50	10	mm
33035055010	YH33	35	55	10	mm
33035055012	YH33	35	55	12	mm
33355435008	YH33	35.5	43.5	8	mm
33355045006	YH33	35.5	45	6	mm
33355455006	YH33	35.5	45.5	6	mm
33036044004	YH33	36	44	4	mm
33036044057	YH33	36	44	5.7	mm
33036045007	YH33	36	45	7	mm
33036046007	YH33	36	46	7	mm
33038046065	YH33	38	46	6.5	mm
33038048006	YH33	38	48	6	mm
33038048007	YH33	38	48	7	mm
33038048010	YH33	38	48	10	mm
33038050007	YH33	38	50	7	mm
33038050009	YH33	38	50	9	mm
33038050010	YH33	38	50	10	mm
33038055010	YH33	38	55	10	mm
33038058010	YH33	38	58	10	mm
33039047006	YH33	39	47	6	mm
33040048011	YH33	40	48	11	mm
33040050010	YH33	40	50	10	mm
33040050005	YH33	40	50	5	mm
33040050006	YH33	40	50	6	mm
33040050065	YH33	40	50	6.5	mm



PISTON AND ROD




PISTON AND ROD


The packing function of the piston and rod seals.

The large section can be used in a wide range of operations. Any size can be fitted in integral

PART NO.	TYPE	ID	OD	H	
33040050007	YH33	40	50	7	mm
33040050008	YH33	40	50	8	mm
33040052007	YH33	40	52	7	mm
33040055007	YH33	40	55	7	mm
33040055010	YH33	40	55	10	mm
33040056010	YH33	40	56	10	mm
33040060007	YH33	40	60	7	mm
33040060010	YH33	40	60	10	mm
33040060012	YH33	40	60	12	mm
33040060013	YH33	40	60	13	mm
33040060018	YH33	40	60	18	mm
33040062152	YH33	40	62	15.2	mm
33040065010	YH33	40	65	10	mm
33040065012	YH33	40	65	12	mm
33042050008	YH33	42	50	8	mm
33044050085	YH33	44	50	8.5	mm
33045053057	YH33	45	53	5.7	mm
33045053012	YH33	45	53	12	mm
33045055005	YH33	45	55	5	mm
33045055006	YH33	45	55	6	mm
33045055065	YH33	45	55	6.5	mm
33045055007	YH33	45	55	7	mm
33045055010	YH33	45	55	10	mm
33045056007	YH33	45	56	7	mm
33045060010	YH33	45	60	10	mm
33045060114	YH33	45	60	11.4	mm
33045061012	YH33	45	61	12	mm
33045063010	YH33	45	63	10	mm
33045063012	YH33	45	63	12	mm
33045065010	YH33	45	65	10	mm
33045065012	YH33	45	65	12	mm
33046053056	YH33	46	53	5.6	mm
33046058012	YH33	46	58	12	mm
33048058010	YH33	48	58	10	mm
33048063010	YH33	48	63	10	mm
33050058008	YH33	50	58	8	mm
33050060005	YH33	50	60	5	mm
33050060006	YH33	50	60	6	mm
33050060065	YH33	50	60	6.5	mm



PISTON AND ROD




PISTON AND ROD SEALS


The packing function of the piston and rod seals.

The large section can be used for a wide range of operations. Any size can be fitted in integral

PART NO.	TYPE	ID	OD	H	
33050060072	YH33	50	60	7.2	mm
33050060010	YH33	50	60	10	mm
33050060011	YH33	50	60	11	mm
33050062009	YH33	50	62	9	mm
33050063006	YH33	50	63	6	mm
33050063065	YH33	50	63	6.5	mm
33050063010	YH33	50	63	10	mm
33050065010	YH33	50	65	10	mm
33050065012	YH33	50	65	12	mm
33050068010	YH33	50	68	10	mm
33050070006	YH33	50	70	6	mm
33050070010	YH33	50	70	10	mm
33050070012	YH33	50	70	12	mm
33050070018	YH33	50	70	18	mm
33052062012	YH33	52	62	12	mm
33053063005	YH33	53	63	5	mm
33053063006	YH33	53	63	6	mm
33053063065	YH33	53	63	6.5	mm
33054070012	YH33	54	70	12	mm
33055065005	YH33	55	65	5	mm
33055065006	YH33	55	65	6	mm
33055065065	YH33	55	65	6.5	mm
33055065008	YH33	55	65	8	mm
33055065010	YH33	55	65	10	mm
33055065012	YH33	55	65	12	mm
33055070008	YH33	55	70	8	mm
33055070009	YH33	55	70	9	mm
33055070010	YH33	55	70	10	mm
33055070012	YH33	55	70	12	mm
33055075010	YH33	55	75	10	mm
33055075012	YH33	55	75	12	mm
33055080012	YH33	55	80	12	mm
33056066006	YH33	56	66	6	mm
33056066065	YH33	56	66	6.5	mm
33056066067	YH33	56	66	6.7	mm
33056071010	YH33	56	71	10	mm
33056072012	YH33	56	72	12	mm
33058068006	YH33	58	68	6	mm
33060068008	YH33	60	68	8	mm



PISTON AND ROD SEALS




PISTON AND ROD SEALS


The packing function of the piston and rod seals.

The large section can be used in a wide range of operations. Any size can be fitted in integral

PART NO.	TYPE	ID	OD	H	
33060070005	YH33	60	70	5	mm
33060070006	YH33	60	70	6	mm
33060070065	YH33	60	70	6.5	mm
33060070008	YH33	60	70	8	mm
33060070009	YH33	60	70	9	mm
33060070010	YH33	60	70	10	mm
33060070012	YH33	60	70	12	mm
33060071007	YH33	60	71	7	mm
33060072013	YH33	60	72	13	mm
33060075010	YH33	60	75	10	mm
33060075012	YH33	60	75	12	mm
33060080010	YH33	60	80	10	mm
33060080012	YH33	60	80	12	mm
33060080018	YH33	60	80	18	mm
33060085012	YH33	60	85	12	mm
33060090015	YH33	60	90	15	mm
33061073006	YH33	61	73	6	mm
33062072005	YH33	62	72	5	mm
33062072006	YH33	62	72	6	mm
33063073005	YH33	63	73	5	mm
33063073006	YH33	63	73	6	mm
33063075009	YH33	63	75	9	mm
33063075010	YH33	63	75	10	mm
33063078010	YH33	63	78	10	mm
33063080012	YH33	63	80	12	mm
33063083015	YH33	63	83	15	mm
33064080012	YH33	64	80	12	mm
33065075006	YH33	65	75	6	mm
33065075010	YH33	65	75	10	mm
33065075012	YH33	65	75	12	mm
33065080010	YH33	65	80	10	mm
33065080011	YH33	65	80	11	mm
33065080012	YH33	65	80	12	mm
33065085010	YH33	65	85	10	mm
33065085012	YH33	65	85	12	mm
33067077006	YH33	67	77	6	mm
33067077010	YH33	67	77	10	mm
33067077012	YH33	67	77	12	mm
33070080005	YH33	70	80	5	mm



PISTON AND ROD SEALS




PISTON AND ROD SEALS


The packing function of the piston and rod seals.

The large section can be used for a wide range of operations. Ar can be fitted in integral

PART NO.	TYPE	ID	OD	H	
33070080006	YH33	70	80	6	mm
33070080008	YH33	70	80	8	mm
33070080010	YH33	70	80	10	mm
33070080012	YH33	70	80	12	mm
33070085010	YH33	70	85	10	mm
33070085105	YH33	70	85	10.5	mm
33070085012	YH33	70	85	12	mm
33070090010	YH33	70	90	10	mm
33070090012	YH33	70	90	12	mm
33070090018	YH33	70	90	18	mm
33070095010	YH33	70	95	10	mm
33070095012	YH33	70	95	12	mm
33071080006	YH33	71	80	6	mm
33075085006	YH33	75	85	6	mm
33075085010	YH33	75	85	10	mm
33075085012	YH33	75	85	12	mm
33075090075	YH33	75	90	7.5	mm
33075090010	YH33	75	90	10	mm
33075090012	YH33	75	90	12	mm
33075095010	YH33	75	95	10	mm
33075095012	YH33	75	95	12	mm
33075100013	YH33	75	100	13	mm
33075100015	YH33	75	100	15	mm
33080090005	YH33	80	90	5	mm
33080090006	YH33	80	90	6	mm
33080090010	YH33	80	90	10	mm
33080090012	YH33	80	90	12	mm
33080095009	YH33	80	95	9	mm
33080095010	YH33	80	95	10	mm
33080095012	YH33	80	95	12	mm
33080100010	YH33	80	100	10	mm
33080100012	YH33	80	100	12	mm
33080100015	YH33	80	100	15	mm
33080105012	YH33	80	105	12	mm
33080108012	YH33	80	108	12	mm
33082092010	YH33	82	92	10	mm
33085095085	YH33	85	95	8.5	mm
33085095012	YH33	85	95	12	mm
33085100011	YH33	85	100	11	mm



PISTON AND ROD SEALS




PISTON AND ROD


The packing function of the piston and rod seals.

The large section can be used for a wide range of operations. Arrows indicate the direction of flow. The seal can be fitted in integral

PART NO.	TYPE	ID	OD	H	
33085100012	YH33	85	100	12	mm
33085100008	YH33	85	100	8	mm
33085100009	YH33	85	100	9	mm
33085105010	YH33	85	105	10	mm
33085105012	YH33	85	105	12	mm
33085105018	YH33	85	105	18	mm
33090100005	YH33	90	100	5	mm
33090100006	YH33	90	100	6	mm
33090100008	YH33	90	100	8	mm
33090100009	YH33	90	100	9	mm
33090100012	YH33	90	100	12	mm
33090105009	YH33	90	105	9	mm
33090105012	YH33	90	105	12	mm
33090110010	YH33	90	110	10	mm
33090110012	YH33	90	110	12	mm
33090110018	YH33	90	110	18	mm
33090115015	YH33	90	115	15	mm
33092112012	YH33	92	112	12	mm
33095105012	YH33	95	105	12	mm
33095110009	YH33	95	110	9	mm
33095110012	YH33	95	110	12	mm
33095112012	YH33	95	112	12	mm
33095115010	YH33	95	115	10	mm
33095115012	YH33	95	115	12	mm
33095115018	YH33	95	115	18	mm
33098112009	YH33	98	112	9	mm
33100110005	YH33	100	110	5	mm
33100110011	YH33	100	110	11	mm
33100115009	YH33	100	115	9	mm
33100115012	YH33	100	115	12	mm
33100120010	YH33	100	120	10	mm
33100120012	YH33	100	120	12	mm
33100120015	YH33	100	120	15	mm
33100125012	YH33	100	125	12	mm
33100125013	YH33	100	125	13	mm
33100125015	YH33	100	125	15	mm
33100130012	YH33	100	130	12	mm
33105120009	YH33	105	120	9	mm
33105120012	YH33	105	120	12	mm



PISTON AND ROD




PISTON AND ROD


The packing function of the piston and rod seals.

The large section can be used for a wide range of operations. Ar can be fitted in integra

PART NO.	TYPE	ID	OD	H	
33105120015	YH33	105	120	15	mm
33105125010	YH33	105	125	10	mm
33105125012	YH33	105	125	12	mm
33105125014	YH33	105	125	14	mm
33105125015	YH33	105	125	15	mm
33105125016	YH33	105	125	16	mm
33110125012	YH33	110	125	12	mm
33110125015	YH33	110	125	15	mm
33110130012	YH33	110	130	12	mm
33110130015	YH33	110	130	15	mm
33110130018	YH33	110	130	18	mm
33110140015	YH33	110	140	15	mm
33112125009	YH33	112	125	9	mm
33113125095	YH33	113	125	9.5	mm
33115130009	YH33	115	130	9	mm
33115130013	YH33	115	130	13	mm
33115130015	YH33	115	130	15	mm
33115135015	YH33	115	135	15	mm
33115140015	YH33	115	140	15	mm
33118133009	YH33	118	133	9	mm
33120130005	YH33	120	130	5	mm
33120135009	YH33	120	135	9	mm
33120135012	YH33	120	135	12	mm
33120135015	YH33	120	135	15	mm
33125140009	YH33	125	140	9	mm
33120140010	YH33	120	140	10	mm
33120140012	YH33	120	140	12	mm
33120140015	YH33	120	140	15	mm
33120140016	YH33	120	140	16	mm
33125140011	YH33	125	140	11	mm
33125140012	YH33	125	140	12	mm
33125140015	YH33	125	140	15	mm
33125145015	YH33	125	145	15	mm
33125145016	YH33	125	145	16	mm
33125150012	YH33	125	150	12	mm
33130145009	YH33	130	145	9	mm
33130150012	YH33	130	150	12	mm
33130150015	YH33	130	150	15	mm
33130150016	YH33	130	150	16	mm



PISTON AND ROD




PISTON AND ROD


The packing function of the piston and rod seals.

The large section can be used for a wide range of operations. Any size can be fitted in integral

PART NO.	TYPE	ID	OD	H	
33130160015	YH33	130	160	15	mm
33135150015	YH33	135	150	15	mm
33135160015	YH33	135	160	15	mm
33136150009	YH33	136	150	9	mm
33140150005	YH33	140	150	5	mm
33140150015	YH33	140	150	15	mm
33140155009	YH33	140	155	9	mm
33140155015	YH33	140	155	15	mm
33140160012	YH33	140	160	12	mm
33140160015	YH33	140	160	15	mm
33140160016	YH33	140	160	16	mm
33140165015	YH33	140	165	15	mm
33140170015	YH33	140	170	15	mm
33145160009	YH33	145	160	9	mm
33145165015	YH33	145	165	15	mm
33150165009	YH33	150	165	9	mm
33150170015	YH33	150	170	15	mm
33150170016	YH33	150	170	16	mm
33150170018	YH33	150	170	18	mm
33150180015	YH33	150	180	15	mm
33160175075	YH33	160	175	7.5	mm
33160175095	YH33	160	175	9.5	mm
33160180013	YH33	160	180	13	mm
33160180015	YH33	160	180	15	mm
33160185016	YH33	160	185	16	mm
33170190015	YH33	170	190	15	mm
33170195015	YH33	170	195	15	mm
33170200018	YH33	170	200	18	mm
33175200015	YH33	175	200	15	mm
33180200012	YH33	180	200	12	mm
33180200015	YH33	180	200	15	mm
33180205016	YH33	180	205	16	mm
33185200075	YH33	185	200	7.5	mm
33190210015	YH33	190	210	15	mm
33190215015	YH33	190	215	15	mm
33200230017	YH33	200	230	17	mm
33205235018	YH33	205	235	18	mm
33210240018	YH33	210	240	18	mm
33220250018	YH33	220	250	18	mm



PISTON AND ROD



PISTON AND ROD

The packing function of piston and rod seals.

The large section can be used in a range of operations. An integral seal can be fitted in integrally

PART NO.	TYPE	ID	OD	H	
33230250016	YH33	230	250	16	mm
33240260016	YH33	240	260	16	mm
33260285019	YH33	260	285	19	mm
33300325019	YH33	300	325	19	mm
33350365019	YH33	350	365	19	mm

iwon

YH33 TYPE

SEAL

can be used both for

be used for wide
and the small section
of the groove.

Material
PU
PU
PU
PU
PU
PU
PU
PU
PU
PU
PU
PU
PU
PU
PU
PU
PU
PU
PU
PU
PU
PU
PU
PU
PU
PU
PU
PU
PU
PU
PU
PU
PU
PU
PU

YH33 TYPE

SEAL

can be used both for

be used for wide
and the small section
of the groove.

Material
PU
PU
PU
PU
PU


Rising Sun Rubber Co., Ltd

Factory : No.5-4, San-he Village ,Fuxing Township, Changhua County, Taiwan

Office : No.178, Yude Rd., North Dist., Taichung City, Taiwan

Tel. :886 4 2206 8598 Fax :886 4 2206 8198

YH51 TYPE




DUST SEAL


The seal function is to prevent entry of dust and protect equipment and maintain performance.

PART NO.	TYPE	ID	OD	H1	H2		Material
51112192456	YH51	11.2	19.2	4.5	6	mm	PU
51012018364	YH51	12	18	3.6	4.8	mm	PU
51014022456	YH51	14	22	4.5	6	mm	PU
51016243456	YH51	16	24.3	4.5	6	mm	PU
51018024364	YH51	18	24	3.6	4.8	mm	PU
51018026456	YH51	18	26	4.5	6	mm	PU
51019026456	YH51	19	26	4.5	6	mm	PU
51020028456	YH51	20	28	4.5	6	mm	PU
51020028568	YH51	20	28	5	6.8	mm	PU
51020030675	YH51	20	30	6	7.5	mm	PU
51022028364	YH51	22	28	3.6	4.8	mm	PU
51224304456	YH51	22.4	30.4	4.5	6	mm	PU
51235315456	YH51	23.5	31.5	4.5	6	mm	PU
51025031364	YH51	25	31	3.6	4.8	mm	PU
51025033456	YH51	25	33	4.5	6	mm	PU
51028036456	YH51	28	36	4.5	6	mm	PU
51028036455	YH51	28	36	4.5	5.8	mm	PU
51028036565	YH51	28	36	5	6.5	mm	PU
51030038455	YH51	30	38	4.5	5.8	mm	PU
51030038565	YH51	30	38	5	6.5	mm	PU
51315395565	YH51	31.5	39.5	5	6.5	mm	PU
51032040455	YH51	32	40	4.5	5.8	mm	PU
51032040565	YH51	32	40	5	6.5	mm	PU
51035043565	YH51	35	43	5	6.5	mm	PU
51035043568	YH51	35	43	5	6.8	mm	PU
51355435565	YH51	35.5	43.5	5	6.5	mm	PU
51036044455	YH51	36	44	4.5	5.8	mm	PU
51036044568	YH51	36	44	5	6.8	mm	PU
51040048455	YH51	40	48	4.5	5.8	mm	PU
51040048565	YH51	40	48	5	6.5	mm	PU
51040048568	YH51	40	48	5	6.8	mm	PU
51040048565	YH51	40	48	5	6.5	mm	PU
51042051466	YH51	42	51	4.6	6	mm	PU
51045053455	YH51	45	53	4.5	5.8	mm	PU

YH51 TYPE



DUST SEAL




DUST SEAL

The seal function is to prevent entry of dust and protect equipment and maintain performance.

PART NO.	TYPE	ID	OD	H1	H2		Material
51045053565	YH51	45	53	5	6.5	mm	PU
51045055568	YH51	45	55	5	6.8	mm	PU
51050058565	YH51	50	58	5	6.5	mm	PU
51050060568	YH51	50	60	5	6.8	mm	PU
51053061565	YH51	53	61	5	6.5	mm	PU
51055063565	YH51	55	63	5	6.5	mm	PU
51055065568	YH51	55	65	5	6.8	mm	PU
51056064565	YH51	56	64	5	6.5	mm	PU
51056066536	YH51	56	66	5.3	6.8	mm	PU
51060068565	YH51	60	68	5	6.5	mm	PU
51060070568	YH51	60	70	5	6.8	mm	PU
51053071565	YH51	53	71	5	6.5	mm	PU
51065073565	YH51	65	73	5	6.5	mm	PU
51065075568	YH51	65	75	5	6.8	mm	PU
51067075565	YH51	67	75	5	6.5	mm	PU
51070080568	YH51	70	80	5	6.8	mm	PU
51070080068	YH51	70	80	6	8	mm	PU
51071081068	YH51	71	81	6	8	mm	PU
51075085068	YH51	75	85	6	8	mm	PU
51075087079	YH51	75	87	7	9	mm	PU
51080090536	YH51	80	90	5.3	6.8	mm	PU
51080090068	YH51	80	90	6	8	mm	PU
51080092079	YH51	80	92	7	9	mm	PU
51085095068	YH51	85	95	6	8	mm	PU
51085097710	YH51	85	97	7	10	mm	PU
51090100536	YH51	90	100	5.3	6.8	mm	PU
51090100068	YH51	90	100	6	8	mm	PU
51090102079	YH51	90	102	7	9	mm	PU
51095107079	YH51	95	107	7	9	mm	PU
51098108068	YH51	98	108	6	8	mm	PU
51100110068	YH51	100	110	6	8	mm	PU
51110125759	YH51	110	125	7.5	9.5	mm	PU
51112122068	YH51	112	122	6	8	mm	PU
51115127079	YH51	115	127	7	9	mm	PU
51125138795	YH51	125	138	7	9.5	mm	PU
51135147079	YH51	135	147	7	9	mm	PU
51140153795	YH51	140	153	7	9.5	mm	PU
51140155759	YH51	140	155	7.5	9.5	mm	PU
51145158795	YH51	145	158	7	9.5	mm	PU

YH51 TYPE



DUST SEAL

The seal function is to prevent entry of dust and protect equipment and maintain performance.

PART NO.	TYPE	ID	OD	H1	H2		Material
51155167795	YH51	155	167	7	9.5	mm	PU
51160172795	YH51	160	172	7	9.5	mm	PU
51160174795	YH51	160	174	7	9.5	mm	PU
51165179795	YH51	165	179	7	9.5	mm	PU
51180194795	YH51	180	194	7	9.5	mm	PU
51185197795	YH51	185	197	7	9.5	mm	PU
51215227795	YH51	215	227	7	9.5	mm	PU


Rising Sun Rubber Co., Ltd

Factory : No.5-4, San-he Village ,Fuxing Township, Changhua County, Taiwan

Office : No.178, Yude Rd., North Dist., Taichung City, Taiwan

Tel. :886 4 2206 8598 Fax :886 4 2206 8198

YH53 TYPE



Bearing

This type can be use in any reciprocating or rotary moving application.

PART NO.	TYPE	ID	OD	H		Material	
53875137125	YH53	0.875	1.375	0.125	inch	PU	5P4673
53125175125	YH53	1.250	1.750	0.125	inch	PU	9J3497
53150215125	YH53	1.500	2.150	0.125	inch	PU	6J9733
53175225125	YH53	1.750	2.250	0.125	inch	PU	6J9178
53200250125	YH53	2.000	2.500	0.125	inch	PU	6J6917
53225287188	YH53	2.250	2.875	0.188	inch	PU	5J3616
53237300188	YH53	2.375	3.000	0.188	inch	PU	6J6916
53250312188	YH53	2.500	3.125	0.188	inch	PU	5J3620
53275337188	YH53	2.750	3.375	0.188	inch	PU	6J6553
53300362188	YH53	3.000	3.625	0.188	inch	PU	6J6915
53325387188	YH53	3.250	3.875	0.188	inch	PU	6J7167
53350412188	YH53	3.500	4.125	0.188	inch	PU	6J6736
53375437188	YH53	3.750	4.375	0.188	inch	PU	8J6070
53400462188	YH53	4.000	4.625	0.188	inch	PU	8J4627
53425487188	YH53	4.250	4.875	0.188	inch	PU	7J8943
53437500188	YH53	4.375	5.000	0.188	inch	PU	3G5055
53475537188	YH53	4.750	5.375	0.188	inch	PU	7J9257
53500562188	YH53	5.000	5.625	0.188	inch	PU	8J4509
53650712188	YH53	6.500	7.125	0.188	inch	PU	6J8631
53700762188	YH53	7.000	7.625	0.188	inch	PU	9J2495


Rising Sun Rubber Co., Ltd

Factory : No.5-4, San-he Village ,Fuxing Township, Changhua County, Taiwan

Office : No.178, Yude Rd., North Dist., Taichung City, Taiwan

Tel. :886 4 2206 8598 Fax :886 4 2206 8198


YH55 TYPE



PISTON SEAL

The large section can be used for wide pressure range. And the small section can be fitted into integrated groove.

PART NO.	TYPE	ID	OD	H		Material
55020030008	YH55	20	30	8	mm	PU
55021037012	YH55	21	37	12	mm	PU
55022030065	YH55	22	30	6.5	mm	PU
55022032010	YH55	22	32	10	mm	PU
55032040057	YH55	32	40	5.7	mm	PU
55033040008	YH55	33	40	8	mm	PU
55035050010	YH55	35	50	10	mm	PU
55037045009	YH55	37	45	9	mm	PU
55040050010	YH55	40	50	10	mm	PU
55040062152	YH55	40	62	15.2	mm	PU
55042050033	YH55	42	50	3.3	mm	PU
55045056006	YH55	45	56	6	mm	PU
55045060010	YH55	45	60	10	mm	PU
55046063012	YH55	46	63	12	mm	PU
55048063012	YH55	48	63	12	mm	PU
55050060006	YH55	50	60	6	mm	PU
55050060007	YH55	50	60	7	mm	PU
55050060008	YH55	50	60	8	mm	PU
55053063007	YH55	53	63	7	mm	PU
55053063012	YH55	53	63	12	mm	PU
55055070012	YH55	55	70	12	mm	PU
55060070006	YH55	60	70	6	mm	PU
55060070012	YH55	60	70	12	mm	PU
55060080012	YH55	60	80	12	mm	PU
55064080012	YH55	64	80	12	mm	PU
55065076006	YH55	65	76	6	mm	PU
55070080008	YH55	70	80	8	mm	PU
55070080012	YH55	70	80	12	mm	PU
55070090012	YH55	70	90	12	mm	PU
55072080012	YH55	72	80	12	mm	PU
55075090012	YH55	75	90	12	mm	PU
55085100012	YH55	85	100	12	mm	PU
55090110012	YH55	90	110	12	mm	PU



PISTON SEAL

The large section can be used for wide pressure range. And the small section can be fitted into integrated groove.

PART NO.	TYPE	ID	OD	H		Material
55100120012	YH55	100	120	12	mm	PU
55105125015	YH55	105	125	15	mm	PU
55110130015	YH55	110	130	15	mm	PU
55115125007	YH55	115	125	7	mm	PU
55115130009	YH55	115	130	9	mm	PU
55120140012	YH55	120	140	12	mm	PU
55130150015	YH55	130	150	15	mm	PU
55130160018	YH55	130	160	18	mm	PU


Rising Sun Rubber Co., Ltd

Factory : No.5-4, San-he Village ,Fuxing Township, Changhua County, Taiwan

Office : No.178, Yude Rd., North Dist., Taichung City, Taiwan

Tel. :886 4 2206 8598 Fax :886 4 2206 8198

YH57 TYPE



Rotary Pressure Seal

The seal function is designed specifically for use in hydraulic swivel joints.

PART NO.	TYPE	ID	OD	H		Material
57060070048	YH57	60	70	4.8	mm	PU
57070080048	YH57	70	80	4.8	mm	PU
57075085048	YH57	75	85	4.8	mm	PU
57080090048	YH57	80	90	4.8	mm	PU
57080090050	YH57	80	90	5	mm	PU
57090100048	YH57	90	100	4.8	mm	PU
57090100050	YH57	90	100	5	mm	PU
57095105048	YH57	95	105	4.8	mm	PU
57100110048	YH57	100	110	4.8	mm	PU
57100110050	YH57	100	110	5	mm	PU
57105115048	YH57	105	115	4.8	mm	PU
57110120048	YH57	110	120	4.8	mm	PU
57115125048	YH57	115	125	4.8	mm	PU
57120130048	YH57	120	130	4.8	mm	PU
57125135048	YH57	125	135	4.8	mm	PU
57130140048	YH57	130	140	4.8	mm	PU
57150160048	YH57	150	160	4.8	mm	PU


Rising Sun Rubber Co., Ltd

Factory : No.5-4, San-he Village ,Fuxing Township, Changhua County, Taiwan

Office : No.178, Yude Rd., North Dist., Taichung City, Taiwan

Tel. :886 4 2206 8598 Fax :886 4 2206 8198

YH63 TYPE



PART NO.	TYPE	ID	OD	H		Material
63100150313	YH63	1.000	1.500	0.313	inch	PU+METAL
63125175313	YH63	1.250	1.750	0.313	inch	PU+METAL
63150200313	YH63	1.500	2.000	0.313	inch	PU+METAL
63175225313	YH63	1.750	2.250	0.313	inch	PU+METAL
63200250313	YH63	2.000	2.500	0.313	inch	PU+METAL
63250300313	YH63	2.500	3.000	0.313	inch	PU+METAL
63300350313	YH63	3.000	3.500	0.313	inch	PU+METAL
63350412313	YH63	3.500	4.125	0.313	inch	PU+METAL
63400462313	YH63	4.000	4.625	0.313	inch	PU+METAL
63575637375	YH63	5.750	6.375	0.375	inch	PU+METAL


Rising Sun Rubber Co., Ltd

Factory : No.5-4, San-he Village ,Fuxing Township, Changhua County, Taiwan

Office : No.178, Yude Rd., North Dist., Taichung City, Taiwan

Tel. :886 4 2206 8598 Fax :886 4 2206 8198

YH59 TYPE



PART NO.	TYPE	ID	OD	H		Material
59025040012	YH59	25	40	12	mm	PU+NYLON
59030045012	YH59	30	45	12	mm	PU+NYLON
59035050012	YH59	35	50	12	mm	PU+NYLON
59045060012	YH59	45	60	12	mm	PU+NYLON
59055070012	YH59	55	70	12	mm	PU+NYLON
59060075012	YH59	60	75	12	mm	PU+NYLON
59070085012	YH59	70	85	12	mm	PU+NYLON
59080095012	YH59	80	95	12	mm	PU+NYLON


Rising Sun Rubber Co., Ltd

Factory : No.5-4, San-he Village ,Fuxing Township, Changhua County, Taiwan

Office : No.178, Yude Rd., North Dist., Taichung City, Taiwan

Tel. :886 4 2206 8598 Fax :886 4 2206 8198

YH66 TYPE




WiperSeal

The seal function is designed to press-fit into open groove housings.

PART NO.	TYPE	ID	OD	H	Material	
66075125313	YH66	0.750	1.250	0.313	inch	PU+METAL
66875137313	YH66	0.875	1.375	0.313	inch	PU+METAL
66875125188	YH66	0.875	1.250	0.188	inch	PU+METAL
66100150313	YH66	1.000	1.500	0.313	inch	PU+METAL
66125175025	YH66	1.250	1.750	0.250	inch	PU+METAL
66125175313	YH66	1.250	1.750	0.313	inch	PU+METAL
66150200025	YH66	1.500	2.000	0.250	inch	PU+METAL 7K9201
66150200313	YH66	1.500	2.000	0.313	inch	PU+METAL
66150225375	YH66	1.500	2.250	0.375	inch	PU+METAL 4J8979
66175212125	YH66	1.750	2.125	0.125	inch	PU+METAL
66175225313	YH66	1.750	2.250	0.313	inch	PU+METAL
66175225025	YH66	1.750	2.250	0.250	inch	PU+METAL 7K9202
66175243375	YH66	1.750	2.437	0.375	inch	PU+METAL 4J8980
66200250025	YH66	2.000	2.500	0.250	inch	PU+METAL 7K9203
66200250313	YH66	2.000	2.500	0.313	inch	PU+METAL
66200268375	YH66	2.000	2.688	0.375	inch	PU+METAL 1K6981
66225275025	YH66	2.250	2.750	0.250	inch	PU+METAL 7K9204
66225275313	YH66	2.250	2.750	0.313	inch	PU+METAL
66225300375	YH66	2.250	3.000	0.375	inch	PU+METAL 4J3515
66237312375	YH66	2.375	3.125	0.375	inch	PU+METAL 6J3892
66225300188	YH66	2.500	3.000	0.188	inch	PU+METAL 7K9206
66250300313	YH66	2.500	3.000	0.313	inch	PU+METAL 7K9205
66250325375	YH66	2.500	3.250	0.375	inch	PU+METAL 1K6982
66265312025	YH66	2.650	3.125	0.250	inch	PU+METAL 7K9207
662745325313	YH66	2.750	3.250	0.313	inch	PU+METAL 7K9208
66275375005	YH66	2.750	3.750	0.500	inch	PU+METAL 1J3540
66300350313	YH66	3.000	3.500	0.313	inch	PU+METAL 7K9209
66300400050	YH66	3.000	4.000	0.500	inch	PU+METAL 2J1411
66312362188	YH66	3.125	3.625	0.188	inch	PU+METAL
66325375313	YH66	3.250	3.750	0.313	inch	PU+METAL 7K9210
66325425005	YH66	3.250	4.250	0.500	inch	PU+METAL 6J4169
66350400313	YH66	3.500	4.000	0.313	inch	PU+METAL 7K9211
66350412313	YH66	3.500	4.125	0.313	inch	PU+METAL 7K9212
66350425313	YH66	3.500	4.250	0.313	inch	PU+METAL 7K9213
66350450005	YH66	3.500	4.500	0.500	inch	PU+METAL 4J8981

YH66 TYPE



WiperSeal

The seal function is designed to press-fit into open groove housings.

PART NO.	TYPE	ID	OD	H	Material
66350475025	YH66	3.500	4.750	0.250	inch PU+METAL
66375425313	YH66	3.750	4.250	0.313	inch PU+METAL
66375437313	YH66	3.750	4.375	0.313	inch PU+METAL 7K9214
66400462188	YH66	4.000	4.625	0.188	inch PU+METAL 7K9215
66400462313	YH66	4.000	4.625	0.313	inch PU+METAL 7K9216
66400475313	YH66	4.000	4.750	0.313	inch PU+METAL 7K9217
66400500005	YH66	4.000	5.000	0.500	inch PU+METAL
66425469313	YH66	4.250	4.695	0.313	inch PU+METAL
66425475313	YH66	4.250	4.750	0.313	inch PU+METAL
66450500313	YH66	4.500	5.000	0.313	inch PU+METAL
66450525313	YH66	4.500	5.250	0.313	inch PU+METAL 7K9218
66450550005	YH66	4.500	5.500	0.500	inch PU+METAL
66475537313	YH66	4.750	5.375	0.313	inch PU+METAL 7K9219
66500575313	YH66	5.000	5.750	0.313	inch PU+METAL 7K9220
66500600005	YH66	5.000	6.000	0.500	inch PU+METAL
66675737375	YH66	6.750	7.375	0.375	inch PU+METAL
66900100063	YH66	9.000	10.000	0.630	inch PU+METAL 9W7989
66100110063	YH66	10.000	11.000	0.630	inch PU+METAL


Rising Sun Rubber Co., Ltd

Factory : No.5-4, San-he Village ,Fuxing Township, Changhua County, Taiwan

Office : No.178, Yude Rd., North Dist., Taichung City, Taiwan

Tel. :886 4 2206 8598 Fax :886 4 2206 8198

YH75 TYPE



PART NO.	TYPE	ID	OD	H		Material	
75150225413	YH75	1.500	2.250	0.413	inch	PU+METAL	8C9131
75175244413	YH75	1.750	2.445	0.413	inch	PU+METAL	8C9132
75200269433	YH75	2.000	2.690	0.433	inch	PU+METAL	8C9133
75225300413	YH75	2.250	3.000	0.413	inch	PU+METAL	8C9134
75250325413	YH75	2.500	3.250	0.413	inch	PU+METAL	8C3840
75275375051	YH75	2.750	3.750	0.510	inch	PU+METAL	8C3842
75300400054	YH75	3.000	4.000	0.540	inch	PU+METAL	8C5218
75325425054	YH75	3.250	4.250	0.540	inch	PU+METAL	8T8389
75350450054	YH75	3.500	4.500	0.540	inch	PU+METAL	8C5219
75375475054	YH75	3.750	4.750	0.540	inch	PU+METAL	8C9135
75400500054	YH75	4.000	5.000	0.540	inch	PU+METAL	8C5220
75500600054	YH75	5.000	6.000	0.540	inch	PU+METAL	9X3582
75700800054	YH75	7.000	8.000	0.540	inch	PU+METAL	8C9136
75900101062	YH75	9.000	10.100	0.620	inch	PU+METAL	


Rising Sun Rubber Co., Ltd

Factory : No.5-4, San-he Village ,Fuxing Township, Changhua County, Taiwan

Office : No.178, Yude Rd., North Dist., Taichung City, Taiwan

Tel. :886 4 2206 8598 Fax :886 4 2206 8198

YH77 TYPE



DUST SEAL

The seal function is to prevent entry of dust and protect equipment and maintain performance.

PART NO.	TYPE	ID	OD	H1	H2		Material
77020032069	YH77	20	32	6	9	mm	PU+METAL
77025037069	YH77	25	37	6	9	mm	PU+METAL
77028040069	YH77	28	40	6	9	mm	PU+METAL
77030042069	YH77	30	42	6	9	mm	PU+METAL
77032044710	YH77	32	44	7	10	mm	PU+METAL
77035047710	YH77	35	47	7	10	mm	PU+METAL
77036048710	YH77	36	48	7	10	mm	PU+METAL
77040052710	YH77	40	52	7	10	mm	PU+METAL
77045057710	YH77	45	57	7	10	mm	PU+METAL
77050062710	YH77	50	62	7	10	mm	PU+METAL
77055069812	YH77	55	69	8	12	mm	PU+METAL
77056070812	YH77	56	70	8	12	mm	PU+METAL
77060074812	YH77	60	74	8	12	mm	PU+METAL
77063077812	YH77	63	77	8	12	mm	PU+METAL
77065079812	YH77	65	79	8	12	mm	PU+METAL
77070084812	YH77	70	84	8	12	mm	PU+METAL
77075089812	YH77	75	89	8	12	mm	PU+METAL
77080094812	YH77	80	94	8	12	mm	PU+METAL
77085099812	YH77	85	99	8	12	mm	PU+METAL
77090104812	YH77	90	104	8	12	mm	PU+METAL
77095109812	YH77	95	109	8	12	mm	PU+METAL
77100114812	YH77	100	114	8	12	mm	PU+METAL
77105121912	YH77	105	121	9	12	mm	PU+METAL
77110126912	YH77	110	126	9	12	mm	PU+METAL
77115131912	YH77	115	131	9	12	mm	PU+METAL
77120136912	YH77	120	136	9	12	mm	PU+METAL
77125141912	YH77	125	141	9	12	mm	PU+METAL
77130146912	YH77	130	146	9	12	mm	PU+METAL
77135150811	YH77	135	150	8	11	mm	PU+METAL
77140160101	YH77	140	160	10	14	mm	PU+METAL


Rising Sun Rubber Co., Ltd

Factory : No.5-4, San-he Village ,Fuxing Township, Changhua County, Taiwan

Office : No.178, Yude Rd., North Dist., Taichung City, Taiwan

Tel. :886 4 2206 8598 Fax :886 4 2206 8198

YH78 TYPE



DUST SEAL

The seal function is to prevent entry of dust and protect equipment and maintain performance.

PART NO.	TYPE	ID	OD	H1	H2		Material
78020032069	YH78	20	32	6	9	mm	PU+METAL
78025037069	YH78	25	37	6	9	mm	PU+METAL
78028040069	YH78	28	40	6	9	mm	PU+METAL
78030042069	YH78	30	42	6	9	mm	PU+METAL
78032044710	YH78	32	44	7	10	mm	PU+METAL
78035047710	YH78	35	47	7	10	mm	PU+METAL
78036048710	YH78	36	48	7	10	mm	PU+METAL
78040052710	YH78	40	52	7	10	mm	PU+METAL
78045057710	YH78	45	57	7	10	mm	PU+METAL
78050062710	YH78	50	62	7	10	mm	PU+METAL
78055069812	YH78	55	69	8	12	mm	PU+METAL
78056070812	YH78	56	70	8	12	mm	PU+METAL
77060074812	YH78	60	74	8	12	mm	PU+METAL
78063077812	YH78	63	77	8	12	mm	PU+METAL
78065079812	YH78	65	79	8	12	mm	PU+METAL
78070084812	YH78	70	84	8	12	mm	PU+METAL
78075089812	YH78	75	89	8	12	mm	PU+METAL
78080094812	YH78	80	94	8	12	mm	PU+METAL
78085099812	YH78	85	99	8	12	mm	PU+METAL
78090104812	YH78	90	104	8	12	mm	PU+METAL
78095109812	YH78	95	109	8	12	mm	PU+METAL
78100114812	YH78	100	114	8	12	mm	PU+METAL
78105121912	YH78	105	121	9	12	mm	PU+METAL
78110126912	YH78	110	126	9	12	mm	PU+METAL
78115131912	YH78	115	131	9	12	mm	PU+METAL
78120136912	YH78	120	136	9	12	mm	PU+METAL
78125141912	YH78	125	141	9	12	mm	PU+METAL
78130146912	YH78	130	146	9	12	mm	PU+METAL
78135150811	YH78	135	150	8	11	mm	PU+METAL
78140160101	YH78	140	160	10	14	mm	PU+METAL


Rising Sun Rubber Co., Ltd

Factory : No.5-4, San-he Village ,Fuxing Township, Changhua County, Taiwan

Office : No.178, Yude Rd., North Dist., Taichung City, Taiwan

Tel. :886 4 2206 8598 Fax :886 4 2206 8198

YH82 TYPE



DUST SEAL

The seal function is to prevent entry of dust and protect equipment and maintain performance.

PART NO.	TYPE	ID	OD	H1	H2		Material
82055065057	YH82	55	65	5	7	mm	PU+METAL
82055069813	YH82	55	69	8	13	mm	PU+METAL
82060074813	YH82	60	74	8	13	mm	PU+METAL
82065075057	YH82	65	75	5	7	mm	PU+METAL
82065079813	YH82	65	79	8	13	mm	PU+METAL
82070084813	YH82	70	84	8	13	mm	PU+METAL
82075089813	YH82	75	89	8	13	mm	PU+METAL
82080094813	YH82	80	94	8	13	mm	PU+METAL
82085099813	YH82	85	99	8	13	mm	PU+METAL
82090104813	YH82	90	104	8	13	mm	PU+METAL
82095109813	YH82	95	109	8	13	mm	PU+METAL
82100114813	YH82	100	114	8	13	mm	PU+METAL
82105121915	YH82	105	121	9	15	mm	PU+METAL
82110126915	YH82	110	126	9	15	mm	PU+METAL
82115131915	YH82	115	131	9	15	mm	PU+METAL
82120136915	YH82	120	136	9	15	mm	PU+METAL


Rising Sun Rubber Co., Ltd

Factory : No.5-4, San-he Village ,Fuxing Township, Changhua County, Taiwan


Office : No.178, Yude Rd., North Dist., Taichung City, Taiwan

Tel. :886 4 2206 8598 Fax :886 4 2206 8198

YH88 TYPE



PART NO.	TYPE	ID	OD	H1	H2		Material
88014024057	YH88	14	24	5	7	mm	PU+METAL
88015025057	YH88	15	25	5	7	mm	PU+METAL
88016026057	YH88	16	26	5	7	mm	PU+METAL
88018028710	YH88	18	28	7	10	mm	PU+METAL
88018030069	YH88	18	30	6	9	mm	PU+METAL
88020030057	YH88	20	30	5	7	mm	PU+METAL
88020032069	YH88	20	32	6	9	mm	PU+METAL
88025037069	YH88	25	37	6	9	mm	PU+METAL
88027039069	YH88	27	39	6	9	mm	PU+METAL
88028040069	YH88	28	40	6	9	mm	PU+METAL
88030040057	YH88	30	40	5	7	mm	PU+METAL
88030042069	YH88	30	42	6	9	mm	PU+METAL
88030045710	YH88	30	45	7	10	mm	PU+METAL
88032044710	YH88	32	44	7	10	mm	PU+METAL
88035047710	YH88	35	47	7	10	mm	PU+METAL
88038050710	YH88	38	50	7	10	mm	PU+METAL
88040052710	YH88	40	52	7	10	mm	PU+METAL
88045057710	YH88	45	57	7	10	mm	PU+METAL
88050060710	YH88	50	60	7	10	mm	PU+METAL
88053067811	YH88	53	67	8	11	mm	PU+METAL
88055069811	YH88	55	69	8	11	mm	PU+METAL
88056070811	YH88	56	70	8	11	mm	PU+METAL
88060070811	YH88	60	74	8	11	mm	PU+METAL
88063077811	YH88	63	77	8	11	mm	PU+METAL
88064078811	YH88	64	78	8	11	mm	PU+METAL
88065079811	YH88	65	79	8	11	mm	PU+METAL
88067081811	YH88	67	81	8	11	mm	PU+METAL
88070084811	YH88	70	84	8	11	mm	PU+METAL
88071085811	YH88	71	85	8	11	mm	PU+METAL
88075089811	YH88	75	89	8	11	mm	PU+METAL
88080094811	YH88	80	94	8	11	mm	PU+METAL
88085099811	YH88	85	99	8	11	mm	PU+METAL
88090104811	YH88	90	104	8	11	mm	PU+METAL
88095109811	YH88	95	109	8	11	mm	PU+METAL



PART NO.	TYPE	ID	OD	H1	H2		Material
88100114811	YH88	100	114	8	11	mm	PU+METAL
88105121912	YH88	105	121	9	12	mm	PU+METAL
88110126912	YH88	110	126	9	12	mm	PU+METAL
88115131912	YH88	115	131	9	12	mm	PU+METAL
88120136912	YH88	120	136	9	12	mm	PU+METAL
88125140912	YH88	125	140	9	12	mm	PU+METAL
88140160101	YH88	140	160	10	14	mm	PU+METAL
88150170101	YH88	150	170	10	14	mm	PU+METAL
88160180101	YH88	160	180	10	14	mm	PU+METAL